

1. Roller J. , Arellano-Jiménez J., Yu H. , Carter C.B., and Maric R., “Catalyst nanoscale assembly from the vapor phase on corrosion resistant supports”, *Electrochimica Acta* , 107 , pp. 632– 655, (2013).
2. Roller J. , Arellano-Jiménez J. , Jain R. , Yu H. , Carter C.B., and Maric R., “Oxygen evolution during water electrolysis from thin films using bimetallic oxides of Ir-Pt and Ir-Ru”, *J. Electrochem. Soc.* 160 (6), F716-F730, (2013).
3. Roller J. , Arellano-Jiménez J. , Jain R. , Yu H. , Maric R., and Carter C.B., Processing, Activity and Microstructure of Oxygen Evolution Anodes Prepared by a Dry and Direct Deposition Technique, *ECS Trans.*, 38(1), pp. 223-229, (2013).
4. Roller, J., Orfino, F., Neagu, R., Maric, R., “Supported and unsupported platinum catalysts prepared by the one-step Reactive Spray Deposition Technology (RSDT) method and their oxygen reduction reactivity in acidic media”, *J. Mater. Sci.*, 47(11), pp. 4604-4601, (2012).
5. Maric, R., Roller, J., Neagu, R., ”Flame-based technologies and reactive spray deposition technology for low temperature solid oxide fuel cell”, *Journal of Thermal Spray Technology*, 20 (4), pp. 696-718, (2011).
6. R. Maric, K. Furusaki. D. Nishijima, R. Neagu, Thin Film Low Temperature Solid Oxide Fuel Cell (LTSOFC) by Reactive Spray Deposition Technology, RSDT, *ECS Trans.*, 35(1), pp. 473-481, (2011).
7. Nédélec, R., Neagu, R., Uhlenbruck, S., Maric, R., Sebold, D., Buchkremer, H.-P., Stöver, D., “Gas phase deposition of diffusion barriers for metal substrates in solid oxide fuel cells” *Surface and Coatings Technology*, 205 (16), pp. 3999-4004, (2011).
8. Maric, R., Neagu, R., Zhang-Steenwinkel, Y., Van Berkel, F.P.F., Rietveld, B. “Reactive spray deposition technology - An one-step deposition technique for solid oxide fuel cell barrier layers”, *Journal of Power Sources*, 195 (24), pp. 8198-8201, (2010).
9. Hui, R., Sun, C., Yick, S., Decès-Petit, C., Zhang, X., Maric, R., Ghosh, D. “Ba_{1-x}P_xCo_{1-y}FeyO_{3-x} as cathode materials for low temperature solid oxide fuel cells”, *Electrochimica Acta*, 55 (16), pp. 4772-4775, (2010).
10. T. Troczynski, and R. Maric, “Characterization of porous stainless steel 430 for low temperature SOFC substrates” *ECS Transaction* 26(1) pp.357-362, (2010).
11. Xie, Y., Maric, R., Ghosh, D., Neagu, R., Hsu, C.-S., Zhang, X., Decès-Petit, C., Robertson, M., “Thin film solid oxide fuel cells deposited by spray pyrolysis” *Journal of Fuel Cell Science and Technology*, 7 (2), pp. 0210071-0210076, (2010).
12. Neagu, R., Zhang, X., Maric, R., Roller, J. , “Characterisation and performance of SOFC components made by reactive spray deposition technology”, *ECS Transactions*, 25 (2), pp. 2481-2486, (2009).
13. Fatih, K., Neagu, R., Alzate, V., Neburchilov, V., Maric, R., Haijiang, W. , “Activity of Pt-Sn catalyst prepared by reactive spray deposition technology for ethanol electro-oxidation”, *ECS Transactions*, 25 (1), pp. 1177-1183(2009)
14. Maric, R., Roller, J., Neagu, R., Fatih, K., Tuck, A., “Low Pt loading thin cathode catalyst layer by reactive spray deposition technology”, *ECS Transactions*, 12 (1), pp. 59-63 (2008).
15. Oberste Berghaus, J., Ghosh, D., Legoux, J.-G., Moreau, C., Hui, R., Decès-Petit, C., Qu, W., Maric, R. , “Suspension HVOF spraying of reduced temperature solid oxide fuel cell electrolytes”, *Journal of Thermal Spray Technology*, 17 (5-6), pp. 700-707, (2008).

16. Wang, Z., Berghaus, J.O., Yick, S., Decès-Petit, C., Qu, W., Hui, R., Maric, R., Ghosh, D. , “Dynamic evaluation of low-temperature metal-supported solid oxide fuel cell oriented to auxiliary power units “, *Journal of Power Sources*, 176 (1), pp. 90-95, (2008).
17. Zhang, X., Robertson, M., Decès-Petit, C., Xie, Y., Hui, R., Qu, W., Kesler, O., Ghosh, D. , “Solid oxide fuel cells with bi-layered electrolyte structure”, *Journal of Power Sources*, 175 (2), pp. 800-805, (2008).
18. Xie, Y., Zhang, X., Robertson, M., Maric, R., Ghosh, D., “Mechanical strength and interface adhesion of a solid oxide fuel cell with doped ceria electrolyte”, *Materials Science Forum*, 539-543 (2), pp. 1421-1426 (2007).
19. Zhang, X., Kesler, O., Maric, R., Ghosh, D., Déces-Petit, C., Yick, S., Robertson, M., Roller, J. , “A study on Co and Cu oxides as sintering aids for Sm_{0.2}Ce_{0.8}O_{1.9} electrolyte”, *Materials Science Forum*, 539-543 (2), pp. 1391-1396, (2007).
20. Hui, R., Yang, D., Wang, Z., Yick, S., Decès-Petit, C., Qu, W., Tuck, A., Ghosh, D. , “Metal-supported solid oxide fuel cell operated at 400-600°C”, *ECS Transactions*, 7 (1), pp. 763-769, (2007).
21. Decès-Petit, C., Zhang, X., Maric, R., “Effect of sintering aids on the formation of zirconia-ceria solid solution “, *ECS Transactions*, 7 (1), pp. 2277-2282, (2007).
22. Hui, R., Wang, Z., Yick, S., Maric, R., Ghosh, D., “Fabrication of ceramic films for solid oxide fuel cells via slurry spin coating technique”, *Journal of Power Sources*, 172 (2), pp. 840-844 (2007).
23. Hui, S.(R.), Roller, J., Yick, S., Zhang, X., Decès-Petit, C., Xie, Y., Maric, R., Ghosh, D. , “A brief review of the ionic conductivity enhancement for selected oxide electrolytes,” *Journal of Power Sources*, 172 (2), pp. 493-502, (2007).
24. Hui, R., Wang, Z., Kesler, O., Rose, L., Jankovic, J., Yick, S., Maric, R., Ghosh, D., “Thermal plasma spraying for SOFCs: Applications, potential advantages, and challenges,” *Journal of Power Sources*, 170 (2), pp. 308-323, (2007).
25. Wang, Z., Ghosh, D., Hui, R., Bogdanovic, N., Tang, Z., Yick, S., Xie, Y., Maric, R., “Plasma spray synthesis of ultra-fine YSZ powder ”, *Journal of Power Sources*, 170 (1), pp. 145-149, (2007).
26. Hui, S.(R.), Yang, D., Wang, Z., Yick, S., Decès-Petit, C., Qu, W., Tuck, A., Ghosh, D., “Metal-supported solid oxide fuel cell operated at 400-600 °C”, *Journal of Power Sources*, 167 (2), pp. 336-339, (2007).
27. Zhang, X., Robertson, M., Deces-Petit, C., Qu, W., Kesler, O., Maric, R., Ghosh, D., “Internal shorting and fuel loss of a low temperature solid oxide fuel cell with SDC electrolyte”, *Journal of Power Sources*, 164 (2), pp. 668-677, (2007).
28. Yang, D., Zhang, X., Nikumb, S., Decès-Petit, C., Hui, R., Maric, R., Ghosh, D., “Low temperature solid oxide fuel cells with pulsed laser deposited bi-layer electrolyte”, *Journal of Power Sources*, 164 (1), pp. 182-188, (2007).
29. Zhang, X., Decès-Petit, C., Yick, S., Robertson, M., Kesler, O., Maric, R., Ghosh, D., “A study on sintering aids for Sm_{0.2}Ce_{0.8}O_{1.9} electrolyte”, *Journal of Power Sources*, 162 (1), pp. 480-485 (2006).
30. Xie, Y., Zhang, X., Robertson, M., Maric, R., Ghosh, D., “Measurement of the interface adhesion of solid oxide fuel cells by indentation “, *Journal of Power Sources*, 162 (1), pp. 436-443, (2006).

31. Hui, R., Sakata, K., Kenji, M., Maric, R., Decès-Petit, C., Styles, E., Qu, W., Ghosh, D., "Proton conduction in ceria-doped Ba₂In₂O₅ nanocrystalline ceramic at low temperature", *Journal of Power Sources*, 161 (1), pp. 40-46, (2006).
32. Zhang, X., Maric, R., Ghosh, D., Robertson, M., Decès-Petit, C., Xie, Y., Hui, R., Kesler, O., "NiO-YSZ cermets supported low temperature solid oxide fuel cells", *Journal of Power Sources*, 161 (1), pp. 301-307, (2006).
33. Zhang, X., Kesler, O., Maric, R., Ghosh, D., Robertson, M., Yick, S., Deces-Petit, C., Roller, J., "Sm_{0.5}Sr_{0.5}CoO₃ + Sm_{0.2}Ce_{0.8}O_{1.9} composite cathode for cermet supported thin Sm_{0.2}Ce_{0.8}O_{1.9} electrolyte SOFC operating below 600 °C", *Journal of Power Sources*, 160 (2), pp. 1211-1216, (2006).
34. Maric, R., Deces-Petit, C., Hui, R., Zhang, X., Ghosh, D., Sakata, K., Kenji, M., "Preparation and characterization of nanocrystalline Ba₂In_{2-x}M_xO_{5-x} (M=Ce, Zr)", *Journal of the Electrochemical Society*, 153 (8), art.no. 028608JES, pp. A1505-A1510, (2006).
35. Hui, S.R., Roller, J., Zhang, X., Decès-Petit, C., Xie, Y., Maric, R., Ghosh, D., "Various approaches to enhance the ionic conductivity for selected oxide electrolytes", *Meeting Abstracts*, pp. 1078, (2005).
36. Zhang, X., Maric, R., Ghosh, D., Robertson, M., Decès-Petit, C., Xie, Y., Hui, R., Roller, J., "Ni-YSZ cermet supported thin ceria-based electrolyte solid oxide fuel cell for reduced temperature operation", *Meeting Abstracts*, pp. 1072. (2005).
37. Decès-Petit, C., Zhang, X., Styles, E., Maric, R., Roller, J., Ghosh, D., "Characterization of low-temperature proton-conducting ceramics for hydrogen pumping applications," *Proceedings - Electrochemical Society*, PV 2005-07, pp. 1165-1171, (2005).
38. Zhang, X., Maric, R., Ghosh, D., Robertson, M., Decès-Petit, C., Xie, Y., Hui, R., Roller, J., ".Ni-YSZ cermet supported thin ceria-based electrolyte solid oxide fuel cell for reduced temperature (500-600°C) operation", (2005) *Proceedings - Electrochemical Society*, PV 2005-07, pp. 1102-1109.
39. Decès-Petit, C., Zhange, X., Styles, E., Maric, R., Roller, J., Ghosh, D., "Characterization of low temperature proton conducting ceramics for hydrogen pumping applications", *Meeting Abstracts*, pp. 1100-1102, (2005).
40. Zhang, X., Maric, R., Ohara, S., Fukui, T., "Influence of interfacial reaction on electrode performance and ohmic losses ",*Proceedings - Electrochemical Society*, PV 2005-07, pp. 595-602, (2005).
41. Zhang, X., Ohara, S., Maric, R., Fukui, T., "Influence of interfacial reaction on electrode performance and ohmic losses", *Meeting Abstracts*, pp. 1221-1229, (2005).
42. Moon, K.-S., Dong, H., Maric, R., Pothukuchi, S., Hunt, A., Li, Y.I., Wong, C.P., "Thermal behavior of silver nanoparticles for low-temperature interconnect applications", *Journal of Electronic Materials*, 34 (2), pp. 168-175, (2005).
43. Maric, R., Oljaca, M., Vukasinovic, B., Hunt, A.T. , "Synthesis of oxide nanopowders in nanoSpraySM diffusion flames", *Materials and Manufacturing Processes*, 19 (6), pp. 1143-1156, (2004).
44. Milosevic, O., Mancic, L., Jordovic, B., Maric, R., Ohara, S., Fukui, T., "Processing of Gd₂O₃:Eu phosphor particles through aerosol route", *Journal of Materials Processing Technology*, 143-144 (1), pp. 501-505, (2003) .

45. Maric, R., Seward, S., Faguy, P.W., Oljaca, M. , “Electrolyte materials for intermediate temperature fuel cells produced via combustion chemical vapor condensation”, *Electrochemical and Solid-State Letters*, 6 (5), pp. A91-A95, (2003).
46. Oljaca, M., Maric, R., Shanmugham, S., Hunt, A., “Nanomaterials for solid oxide fuel cells ”, *American Ceramic Society Bulletin*, 82 (1), pp. 38-40, (2003).
47. Zhang, X., Ohara, S., Okawa, H., Maric, R., Fukui, T., “Interactions of a $\text{La}_{0.9}\text{Sr}_{0.1}\text{Ga}_{0.8}\text{Mg}_{0.2}\text{O}_3$ electrolyte with Fe_2O_3 , Co_2O_3 and NiO anode materials”, *Solid State Ionics*, 139 (1-2), pp. 145-152, (2001).
48. Zhang, X., Ohara, S., Maric, R., Okawa, H., Fukui, T., Yoshida, H., Inagaki, T., Miura, K., “Interface reactions in the NiO -SDC-LSGM system”, *Solid State Ionics*, 133 (3), pp. 153-160, (2000).
49. Inagaki, T., Miura, K., Yoshida, H., Maric, R., Ohara, S., Zhang, X., Mukai, K., Fukui, T., “High-performance electrodes for reduced temperature solid oxide fuel cells with doped lanthanum gallate electrolyte. II. $\text{La}(\text{Sr})\text{CoO}_3$ cathode”, *Journal of Power Sources*, 86 (1), pp. 347-351, (2000).
50. Ohara, S., Maric, R., Zhang, X., Mukai, K., Fukui, T., Yoshida, H., Inagaki, T., Miura, K., “High performance electrodes for reduced temperature solid oxide fuel cells with doped lanthanum gallate electrolyte. I. Ni-SDC cermet anode”, *Journal of Power Sources*, 86 (1), pp. 455-458, (2000).
51. Maric, R., Fukui, T., Ohara, S., Yoshida, H., Nishimura, M., Inagaki, T., Miura, K., “Powder prepared by spray pyrolysis as an electrode material for solid oxide fuel cells”, *Journal of Materials Science*, 35 (6), pp. 1397-1404, (2000).
52. Zhang, X., Ohara, S., Maric, R., Mukai, K., Fukui, T., Yoshida, H., Nishimura, M., Miura, K., “Ni-SDC cermet anode for medium-temperature solid oxide fuel cell with lanthanum gallate electrolyte”, *Journal of Power Sources*, 83 (1-2), pp. 170-177, (1999).
53. Maric, R., Ohara, S., Fukui, T., Yoshida, H., Nishimura, M., Inagaki, T., Miura, K., “Solid oxide fuel cells with doped lanthanum gallate electrolyte and LaSrCoO_3 cathode, and Ni-samarium-doped ceria cermet anode”, *Journal of the Electrochemical Society*, 146 (6), pp. 2006-2010, (1999).
54. Maric, R., Ohara, S., Fukui, T., Inagaki, T., Fujita, J.-I. , “High-performance Ni-SDC cermet anode for solid oxide fuel cells at medium operating temperature”, *Electrochemical and Solid-State Letters*, 1 (5), pp. 201-203, (1998).
55. Maric, R., Ishihara, K.N., Shingu, P.H. , “Structural changes during low energy ball milling in the Al-Ni system”, *Journal of Materials Science Letters*, 15 (13), pp. 1180-1183, (1996).
56. Maric, R., Ishihara, K.N., Shingu, P.H., “Structure formation and deformation behaviour of multilayer composite prepared by ball milling and repeated pressing”, *Materials Science Forum*, 179-181, pp. 801-806, (1995).
57. Ishihara, Keiichi, Maric, Radenka, Kondo, Akihiro, Shingu, Hideo, “Formation of intermetallic compound by mechanical alloying”, *Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy*, 41 (8), pp. 949-952 (1994).

Conference Proceedings :

1. Yu, H., Roller J., Kwak D., Wang Y., Kotila P., Carter CB, Maric R., Platinum Nanoparticle Distribution on Different Carbon Support Fabricated by a One-Step Dry Process, Microscopy and Microanalysis 2013, Indianapolis, INDIANA ,Aug 5-Aug 8, 2013 (poster).
2. Jain, R. , Janish, M., Kotila, P., Carter, CB, Maric, R., TEM characterization of ceria supported catalyst with Pt for Gas-water-shift reaction produced by the redactive spray dposition technology, Microscopy and Microanalysis 2013, Indianapolis, INDIANA ,Aug 5-Aug 8, 2013 (poster).
3. Roller, J., Yu H, Kotila, P., Carter, CB, Maric R, Structure and Phase Determination of a Bimetallic Pd-Ru Catalyst Prepared From the Vapor Phase with Reactive Spray Deposition Technology, Microscopy and Microanalysis 2013, Indianapolis, INDIANA ,Aug 5-Aug 8, 2013 (poster).
4. Roller, J., Ayers K., Mustain, W., and Maric, R., Session: G1:Hydrogen Evolution on Combustion Catalyzed Electrodes with Low Loadings for PEM ElectrolyzersAdvances in Low Temperature Electrolyzer and Fuel Cell Technology: In Honor of Anthony B. (Tony) LaConti at the 223rd meeting of the Electrochemical Society, May 14, 2013, Toronto, Canada (invited talk).
5. Yu, H., Roller J., Jain R., and Maric, R., Influence of ionomer/carbon ratio on porosity distribution, surface area and roughness of PEMFC catalyst layers fabricated by a direct dry deposition method Electrochemical Society, May 14, 2013, Toronto, Canada (oral presentation).
6. Roller, J., Jain, R., and Maric, R.,Direct Dry Formation of Cathode Electrodes for Lithium-Ion Batteries Using a One-Step Combustion Process, Next Generation Batteries 2012, July 19, 2012, Boston, MA (invited talk).
7. Maric, R. “Waste to Energy: Kinetic Improvement and Clean-Up of Gases for High Efficient Gasifier and Fuel Cell Integration” EcoBalance 2012, Acceptance rate 30%.
8. Maric, R., Rolle, J., Banas, C., Pasaogullari, U., Halter, A.;The Performance of Low Pt Loaded Catalyst Coated Acid Doped PBI Membrane” Fuel Cell Seminar and Exhibition 2012.
9. Maric, R., Roller, J, Arellano-Jiménez, J., Mustain, B. and Carter, C.B., “Microstructure and durability of non-carbon supported cathode prepared by a direct dry deposition technique “ ECS meeting, Hawaii 2012.
10. Roller, J., Arellano-Jiménez, J., Jain R., Maric R, and Carter C.B. “Microstructure of low Pt-loaded catalysts dispersed via a dry one-step process onto corrosion resistant supports” 2012 MRS Spring Meeting, (2012).
11. Roller J., Arellano-Jiménez J., Jain R., Maric R. and CarterC.B. “Activity and microstructure of oxygen evolution anodes prepared by a direct dry deposition technique” ECS 14th International Symposium, (2012).
12. Maric, R., “Yttria stabilized zirconia (YSZ) Nanomaterial for Solid Oxide Fuel Cell”, Nano-S&T 2011, (2011).
13. Maric, R., “Flame base process for batteries and fuel cell”, Low Carbon Earth Summit LCES-2011, (2011).
14. Dragan, M., Roller, J., Strutt, P., Maric, R., “Study on the performance of rapidly quenched YSZ electrolytes in solid oxide fuel cells”, HI TEMP 2011, Boston, (2011).

15. Roller, J., Maric, R., Neagu, R., and Orfino, F., "Oxygen Reduction Reaction Evaluation of Platinum Catalysts Formed via the Reactive Spray Deposition Technique", ASME 2011 9th Fuel Cell Science, Engineering and Technology Conference, Washington, DC August 7-10, (2011).
16. Maric, R., Furusaki, K., Nishijima, D., Neagu, R., Thin Film Low Temperature Solid Oxide Fuel Cell (LTSOFC) by Reactive Spray Deposition Technology (RSDT)", SOFC-XI, Electrochemical Society Conference (ESC), (2011).
17. Dragan, M., Roller, J., Strutt, P., Maric, R., "Study on the performance of rapidly quenched YSZ electrolytes in solid oxide fuel cells", 2011 MRS Fall Meeting, (2011).
18. T. Troczynski, and R. Maric, "Characterization of porous stainless steel 430 for low temperature SOFC substrates", in Hydrogen and Fuel Cells 2009 Conference and Exhibition (HFC2009 Abstracts), Vancouver, Canada.
19. Maric, R, Neagu, R., Zhang-Steenwinkler, Y., P.F. van Berkel, F., Rietveld, B., "Flame deposition of the electrolyte and cathode for high and stable performance of low-temperature SOFCs", ASME 8th International Fuel Cell Science, Engineering and Technology Conference, FuelCell2010, (2010).
20. Maric, R., Schalchi, B., Mitlin, D., Roller, J., Neagu, R., "Microstructure of low-platinum loaded catalysts prepared using a novel high temperature route via the Reactive Spray Deposition Technology (RSDT) process", 217th ECS Meeting, (2010).
21. Roller, J., Neagu, R., Xie, Z., Maric, R., "Multi-layered and gradient electrodes for Proton Exchange Membrane Fuel Cells by Reactive Spray Deposition Technology (RSDT)", 217th ECS Meeting, (2010).
22. Xie, Z., Haldane, M., Roller, J., Neagu, R., Maric, R., Navessin, T., and Holdcroft, S., "Equivalent Weight (EW) Influence on Fuel Cell Performance of the Catalyst Layers Prepared by Reactive Spraying Deposition Technology (RSDT)", 217th ECS Meeting, (2010).
23. Rose, L., Kesler, O., Maric, R., "The oxidation characteristics of spherical stainless steel powder particles", 217th ECS Meeting, (2010). Acceptance Rate 20%
24. Rose, L., Kesler, O., Zhang, X., Sobolyeva, T., Troczynski, T., Maric, R., "Characterization of porous stainless steel 430 for low temperature solid oxide fuel cell", H2FC2009, (2009).
25. Maric, R., Zhang, X., Negue, R. "Characterization and performance of SOFC components made by Reactive Spray Deposition Technology, October 6, 2009 ECS 216th", (2009).
26. Roller, J., Fatih, K., Negue, R., Maric, R. "Low Platinum Electrodes for Proton Exchange Fuel Cells Manufactured by Reactive Spray Deposition Technology", 2009 ECS 216th, (2009).
27. Roller, J., Neagu, R., Fatih, K., Tuck, A., Maric, R., "Investigation of Heterogeneous PEM cathode architectures using ultra-low platinum loading manufactured by reactive spray deposition technology (RSDT)", H2FC2009, (2009).
28. Neagu, R., Maric, R., Deces-Petit, C., "Thin Layers of YSZ and GDC electrolyte deposited by RSDT", H2FC2009, (2009).

29. M. A. van Tuel, M., P. F. van Berke, F., Rietveld, B., Maric, R., Uhlenbruck, S., and Tietz F., "Modification of cell microstructure and compositions for high and stable performance of low temperature SOFC's", European Fuel Cell Forum, (2009).
30. Hui R. , Yang D. , Yick S. , Decès-Petit C., Qu W., Maric R., Ghosh D. , "Fabrication and Characterization of Metal-supported SOFCs for 500oC" 2007 International Conference on Metallurgical Coatings and Thin Films, December7-12, California USA.
31. Maric, R., Roller, J., Neagu, R., Fatih, K., "Low Pt thin cathode layer catalyst layer by reactive spray deposition technology", 2007 Fuel cell seminar & exposition, (2007).
32. Wang, Z., Hui, S., Xie, Y., Yick, S., Tang, Z., Bogdanovic, Z., Burgess, A., Maric, R., Ghosh, D., "Fabrication Of YSZ Powder By Plasma Spray", H2FC2007, (2007).
33. Zhang, X., Robertson, M., Deces-Petit, C., Qu, W., Min, K.B., Tuck, A., Xie, Y., Hui, R., Kesler, O., Maric, R., Ghosh, D., "Fabrication and Characterization of Cermet Supported Cell with SDC Electrolyte", 10th International Symposium on Solid Oxide Fuel Cells (SOFC-X) (2007).
34. Tuck, A., Zhang, X., Hui, R., Qu, W., Deces-Petit, C., Xie, Y., Roller, J., Min, K.B., Robertson, M., Yick, S., Maric, R., Ghosh, D., "Development Status of SOFC Cell and Stack Technology at NRC-IFCI, ECS Transactions, Vol. 7 (1), 10th International Symposium on Solid Oxide Fuel Cells", 10th International Symposium on Solid Oxide Fuel Cells (SOFC-X) (2007).
35. Deces-Petit, C., Zhang, X., Maric, R., "Effect of sintering aids on the formation of zirconia-ceria solid solution", ECS 10th International Symposium on Solid Oxide Fuel Cells (SOFC-X) (2007).
36. R. Hui, D. Yang, Z. Wang, S. Yick, C. Decès-Petit, W. Qu, A. Tuck, R. Maric, D. Ghosh, "Metal-supported Solid Oxide Fuel Cell Operated at 400~600°C", ECS 10th International Symposium on Solid Oxide Fuel Cells (SOFC-X) (2007).
37. Zhang, X., Robertson, M., Yick, S., Deces-Petit, C., Styles, E., Qu, W., Xie, Y., Hui, R., Roller, J., Kesler, O., Maric, R., Ghosh, D., "SSC+SDC Composite Cathode For Cermet Supported Thin SDC Electrolyte Sofc Operating Below 600°C", Thermec-2006, (2006).
38. Xie, Y., Zhang, X., Robertson, M., Maric, R., Ghosh, D., "Mechanical strength and interface adhesion of a solid oxide fuel cell with deoped ceria electrolyte ", Thermec-2006, (2006).
39. Zhang, X., Robertson, M., Yick, S., Deces-Petit, C., Styles, E., Xie, Y., Kesler, O., Maric, R., Ghosh, D., "A Study on Co and Cu Oxides as Sintering Aids for Sm_{0.2}Ce_{0.8}O_{1.9} Electrolyte" Thermec-2006, (2006).
40. Maric, R., Qu, W., Ghosh, D., Zhang, X., "Characterization of Commercial Borosilicate based Glasses for Solid Oxide Fuel Cell Sealing", 30th International Conference & Exposition on Advanced Ceramic & Composites, Symposium 3 - the 3rd International Symposium on Solid Oxide Fuel cells, (2006).
41. Perednis, D., Xie, Y., Zhang, X., Ghosh, D., Maric, R., Roller, J., "Solid oxide fuel cells with samaria-doped ceria electrolytes prepared via spray pyrolysis", 1st International Symposium on Fuel Cell and Hydrogen Technologies, COM2005, p.273 (2005).

42. Zhang, X., Robertson, M., Decès-Petit, C., Xie, Y., Hui, R., Yick, S., Staite, M., Styles, E., Roller, J., Maric, R., Ghosh, D., "Ni-YSZ cermet substrate supported thin SDC and YSZ+SDC bi-layer SOFCs", 1st International Symposium on Fuel Cell and Hydrogen Technologies, COM2005, p.319 (2005).
43. Deces-Petit, C., Zhang, X., Styles,E., Maric, R., Roller, J., Ghosh, D., "Characterization of Low Temperature Proton Conducting Ceramics for Hydrogen Pumping Applications", SOFC –IX (2005).
44. Perednis, D., Xie, Y., Zhang,X., Ghosh, D., Maric, R., Roller, J., "Deposition of Samaria-Doped Ceria Electrolyte Using Spray Pyrolysis", SOFC –IX (2005).
45. Hui, R., Roller, J., Zhang, X., Deces-Petit, C., Xie, Y., Maric, R., Ghosh, D.," Various Approaches to Enhance the Ionic Conductivity for Selected Oxide Electrolytes", SOFC –IX (2005).
46. Zhang, X., Robertson, M., Yick, S., Deces-Petit, C., Styles, E., Xie, Y., Hui, R., Maric, R., Ghosh, D.," Various Approaches to Enhance the Ionic Conductivity for Selected Oxide Electrolytes", SOFC –IX (2005).
47. Zhang, X., Robertson, M., Yick, S., Deces-Petit, C., Styles, E., Xie, Y., Hui, R., Maric, R., Ghosh, D.," Ni-YSZ Cermet Supported Thin Ceria-Based Electrolyte Solid Oxide Fuel Cell for Reduced Temperature Operation", SOFC –IX (2005).
48. Zhang, X., Ohara, S., Maric, R., Fukui, T., "Influence of Interfacial Reaction on Electrode Performance and Ohmic Losses", SOFC –IX (2005).
49. Maric, R., Coube, O., "Low Temperature Sintering of Dense Nanocrystalline Cerium and Cerium Doped Oxide Ceramics", 2003 International Conference on Nanotechnology & PM2 (2003).
50. Maric, R., Oljaca, M., "Materials for Low Temperature Solid Oxide Fuel Cells Fabricated Using Combustion Chemical Vapor Deposition", 2003 Fuel Cell Seminar, (2003).
51. Coube, O., Maric, R., "A Comparative Study Between Micron- and Nano-Doped Ceria Powder for the Fabrication of Solid Oxide Fuel Cell Electrolyte", 2003 International Conference on Nanotechnology & PM2 (2003). Acceptance Rate 25%.
52. Maric, R., Sundell, S., Oljaca, M., Hunt, A., , "Nanoparticle Synthesis via Nanomiser Atmosphere Flame Technology", World Congress on Powder Metallurgy & Particulate Materials (2002).
53. Maric, R., Faguy, R., Oljaca, M., "Fabrication of Metal & Metal Oxide Nanopowder for SOFC applications using Combustion Chemical Vapor Deposition," 2002 FC Seminar (2002).
54. Maric, R., Wang, J.X., Oljaca, M., Adzic, R.R., Faguy, P.W. , "Characterization of unsupported Platinum nanoparticles produced via Combustion Chemical Vapor Deposition", ECS meeting (2002).
55. Yoshida,H., Inagaki. T., Miura, K., Ohara, S.,Maric, R., Fukui, T., "Microstructure and Electrical Properties of Anode and Cathode for Reduced Temperature SOFC with Lanthanum Gallate Electrolyte", 2000 FC Seminar Abstract, pp. 558-561, (2000).
56. Ohara, S., Maric, R., "EMAX analysis of Multicomponent System Synthesized by Ultrasonic Spray Pyrolysis", Advance Nanostructure Materials, pp.235-150, (1999). Acceptance Rate 20%

57. Maric, R., Fuku, T., Ohara, S., Inagaki, T., Yoshida, H., Miura, K., "Performance of a Ni-SDC-LaSrGaMgO₃/LaSrCoO₃ Single Fuel Cell", Solid Oxide Fuel Cells VI, (1999).
58. Ohara, S., Maric, R., Fukui, T., Yoshida, H., Inagaki, T., Miura K., "High performance Electrodes for Reduced temperature SOFC with doped Lanthanum Gallate Electrolyte: Ni-SDC Anode", Sixth Grove Fuel Cell Symposium, pp.125-132, (1999).
59. Maric, R., Ohara, S., Fukui, T., Yoshida, H., Inagaki, T., Miura K., "Solid Oxide Fuel Cells with LaSrGaMgO₃ electrolyte, Ni-SDC anode, and LaSrCoO₃ cathode", the 3rd International Fuel Cell Conference, (1999).
60. Maric, R., Ohara, S., Fukui, T., Yoshida, H., Inagaki, T., Miura K., "Preparation of Fine, Spherical, Composite Powder by Spray Pyrolysis", of International Sintering Conference, pp. 234-245, (1998).
61. Maric, R., Ohara, S., Fukui, T., Yoshida, H., Inagaki, T., Miura K., "La,SrMnO₃-YSZ Prepared by Spray Pyrolysis as Cathode Material for Solid Oxide Fuel Cells", of International Symposium on Design, Processing and Properties of Advanced Engineering, pp. 319-326, (1997).
62. Maric, R., Ishihira, K., Shingu, P.H., "Structure Formation and Deformation Behavior of Multilayers Prepared by Ball Milling and repeated Pressing", International Conference on Metastable, Mechanically Alloyed and Nanocrystalline, pp. 36-42, (1994).
63. Maric, R., Ishihira, K., Shingu, P.H., "Thermodynamics and Kinetic of Intermetallic Compound Formation", 3rd International Conference on Materials, Honolulu, pp. 199-205, (1993).
64. Maric, R., Ishihira, K., Shingu, P.H., "SHS Reactions in Intermetallic Systems Promoted by Ball Milling", Proceedings of Powder Metallurgy, Kyoto, pp. 30-36, (1993).